


**FOUNDATION /  
FRAMING PLAN**

3/16" = 1'-0"



22'-0"

24'-0"

MONO POUR

4" GARAGE SLAB

CRAWL SPACE

1/2" GYP BOARD APPLIED TO THE INTERIOR FACE OF ICF WALL

(2) 1 3/4" x 11 7/8" LVL BEAM

24" x 24" x 12" THK. CONG. PAD W (3) #45 EA. MAT

8" x 16" CONG. FTG. W/ 2 - #45 CONT.

ICF FOUND. WALL (6" CONG.) W/ REINF. PER MFR. SPECS

4" CONG. PORCH SLAB W/ 8" THICKENED EDGE

12" DIA. x 36" DP. CONG. PIER FLUSH W/ TOP OF GRADE

8'-0"

16'-0"

11'-6"

11'-6"

11'-6"

11'-6"

15'-0"

15'-0"

30'-0"

46'-0"

30'-0"

24'-0"

8'-0"

8'-0"

8'-0"

3'-0"

3'-0"

16'-0"

9 1/2" - 10 1/2"

11'-6"

46'-0"

8'-0"

8'-0"

8'-0"


3'-0"


3'-0"

30'-0"

46'-0"


**MAIN LEVEL PLAN**  
1380 SF  
3/16" = 1'-0"






**RIGHT ELEVATION**  
3/16" = 1'-0"

WINDOW SCHEDULE			
NO.	UNIT (W x H)	TOTAL UNIT (W x H)	QUANT.
A	(1) 2-6 x 4-6	2-6 x 4-6	4
B	(1) 2-0 x 3-6	2-0 x 3-6	1
C	(2) 2-6 x 4-6	5-0 x 4-6	4
D	(1) 3-0 x 3-6	3-0 x 3-6	1




**FRONT ELEVATION**  
3/16" = 1'-0"



**LEFT ELEVATION**

$\frac{3}{16}'' = 1'-0''$



**REAR ELEVATION**

$\frac{3}{16}'' = 1'-0''$

# TYP. WALL SECTION

3/4" = 1'-0"

