WHOLE HOUSE VENTILATION SEE M-16.0 THRU M-16.3



TOTAL WINDOW AREA: XXX SQ. FT.
96" CEILING HEIGHT
SHEAR DIAPHRAGM:
ROOF SHEATHING
172 PLF ZONE I
172 PLF ZONE II
172 PLF ZONE III
208 PLF ZONE WZ1 6/12
2x6 FLOOR JOIST ON 32" WIDES

REFER TO DAPA MMP 2.0-1.2 FOR LIGHT AND VENT REQUIREMENTS

◇ - DENOTES # OF STUDS IN COLUMNS

◇ = DENOTES SHEARWALL LOCATIONS WIND ZONE-1

SHEARWALL	P.L.F.	SHEAR AREA	JOIST #	DAPA
A	210	-	-	[illegible]
B	210	-	-	[illegible]
C	-	-	-	-
D	-	-	-	-
E	-	-	-	-

◇ = DENOTES SHEARWALL LOCATIONS WIND ZONE-2

SHEARWALL	P.L.F.	SHEAR AREA	JOIST #	DAPA
A	210	-	-	[illegible]
B	210	-	-	[illegible]
C	-	-	-	-
D	-	-	-	-
E	-	-	-	-

◇ = DENOTES SHEARWALL LOCATIONS WIND ZONE-3

SHEARWALL	P.L.F.	SHEAR AREA	JOIST #	DAPA
A	210	-	-	[illegible]
B	210	-	-	[illegible]
C	-	-	-	-
D	-	-	-	-
E	-	-	-	-

◇ = DENOTES SHEARWALL LOCATIONS WIND ZONE-1 6/12

SHEARWALL	P.L.F.	SHEAR AREA	JOIST #	DAPA
A	210	-	-	[illegible]
B	210	-	-	[illegible]
C	-	-	-	-
D	-	-	-	-
E	-	-	-	-

RETURN AIR REQUIREMENTS

1. INDICATES THAT A 20"x25" RETURN AIR GRILL REQUIRED
2. INDICATES THAT A 4"x10" RETURN AIR GRILL REQUIRED
3. INDICATES THAT DOOR(S) MUST BE UNDERCUT 2 1/2" MINIMUM
4. INDICATES THAT DOOR(S) MUST BE UNDERCUT 2" MIN.

RETURN AIR REQUIREMENTS

5. INDICATES THAT A 24"x4" RETURN AIR GRILL REQUIRED IN DOOR(S) OR ABOVE DOOR(S).
6. INDICATES THAT A 18"x4" RETURN AIR GRILL REQUIRED IN DOOR(S) OR ABOVE DOOR(S).

Destiny Industries, LLC
250 R.W. BRYANT ROAD
MOULTRIE, GEORGIA 31768
PHONE: 1-866-752-6800

REVISIONS

DRAWING TITLE	MASTER PLAN	PRODUCT: TIMBERLINE ELITE	MODEL NO. XXX XXX
DRAWING FILE INFORMATION: 16x74 2BR-2BA	DRAWN BY: JERRY BENTON	DATE: 10/22/2019	SQ. FT. 1038.33
		SHEET 1-A2	REVISED -