


# Nebraska Department of Natural Resources

Processed: 9/28/2024 8:36:50 AM

Registration number G-187217

**Note: Missing Data Indicates that the Information is Not Available Electronically.**



Maxar | Nebraska Department of Natural Resources (NeDNR) | E... Powered by Esri

**Disclaimer:** Please note that the embedded map on this page may not display correctly if ad blockers are enabled in your browser. To view the map and access all features of this page, disabling active ad blockers may be required. This website works best using Google Chrome or Microsoft Edge, other browsers may experience issues.

Registration#	Use Status	County Name NRD Name Well Location Footage Latitude Longitude	Completion Date Filing Date Decommission Date Times Replaced Online Registration ID (NOLID) Well Driller License Number	Acres Irrigated Gallons/Minute Static Level Pumping Level Series # of Heat System Loops	Pump Column Diameter Pump Depth Well Depth
G-187217 WellID: 257145	D - Domestic A - Active Registered Well	Lincoln Twin Platte 13 N 32W 4 SENE 2169N 968E 41° 7' 41.230" -100° 59' 12.160"	4/9/2019 5/2/2019 1 155674636130981 39438	--- 10 gpm 20 ft 20 ft PRO - Single Project ---	1.25 in 40 ft 140 ft

Owner ID	Name/Entity	Address	Address 2	City, State, Zip
142841	Michael D & Amanda N Vargas	18686 W Kelley Ave		Hershey, NE 69143

Spacing Permit	
Municipal Permit	
Geothermal Permit	
Industrial Permit	
Permit to Transfer Ground Water to Adjoining State	
Surface Water Appropriation	
Permit to Conduct Water in a Stream	
Street Address and/or Subdivision	
Block	
Lot	
Well Reference Letter(s)	
Pump Installation Date	4/17/2019
Pump Installer ID	39438
Nrd Permit Date	
Bore Hole Diameter in inches	9
Industrial Ground Water Transfer Notice	
<b>Well Driller Information</b>	
Name	Bruce A Holm
License Number	39438
<b>Well Driller Employer Information</b>	
Name	Irrigation Technology
City, State and Zip	Wallace , NE 69169
Phone	3083874500

Geo Logs

FromDepth	ToDepth	Description	Color	Density	Composition
0	20		Brown	Soft	Clay
20	50		Red	Loose	Gravel
50	55		Brown	Soft	Clay
55	120		Brown	Dense/Stiff	Sandy Clay

FromDepth	ToDepth	Description	Color	Density	Composition
120	140		Red	Loose	Gravel

Casing and Screen

FromDepth	ToDepth	CaseOrScreen	InsideDiam	OutsideDiam	CaseThickness	Material	ScrnSlotSize	ScreenTname	SubTableNo
0	120	casing	4	4.5	0.25	PVC		EAGLE	1
120	140	screen	4	4.5	0.25	PVC	0.02	TITAN	1

Grout and Gravel

FromDepth	ToDepth	GroutOrGravel	Material	Quantity	Volume	SubTableNo
0	6	gravel	SOIL BACKFILL	1 YARD		1
6	12	grout	CHIP BENTONITE		.074 CU YDS	1
12	20	gravel	3/8	.098 YARDS		1
20	26	grout	CHIP BENTONITE		.074 CU YDS	1
26	140	gravel	3/8	1.402 YDS		1